




ITEM	T1	T2
BACKLIGHT	8.6	13.5
WITHOUT BL	4.6	9.0



20	BL-(0V)
19	BL+(5V)
18	VLCD
17	/RST
16	CS2
15	CS1
14	DB7
13	DB6
12	DB5
11	DB4
10	DB3
9	DB2
8	DB1
7	DB0
6	E
5	R/W
4	RS
3	V0
2	VDD
1	VSS
PIN	SYMBOL



ITEM	SELECTABLE CONTENTS
DISPLAY MODE	STN YELLOW MODE
	STN GRAY MODE
	STN BLUE MODE
	FSTN
POLARIZER TYPE	REFLECTIVE
	TRANSFLECTIVE
	TRANSMISSIVE, POSITIVE
VIEWING DIRECTION	6 O'CLOCK
	12 O'CLOCK
LED BACKLIGHT	WHITE
	YELLOW-GREEN
	RED
	GREEN
	BLUE
	AMBER
TEMPERATURE RANGE	STANDARD TEMPERATURE
	WIDE TEMPERATURE
CHARACTER PATTERNS	
OPERATING VOLTAGE	5.0V
LCD DRIVING VOLTAGE	11.5V
LCD DRIVE METHOD	1/64 DUTY 1/9 BIAS
LCD DRIVE IC	NT7107/NT7108

THE PART NUMBER IN MASS PRODUCTION

- 1.STN(Y-G),TRANSFLECTIVE LCD;Y-G BACKLIGHT;6 O'CLOCK;
- 2.--
- 3.--
- 4.--

UNIT	TOLERANCE
MM	X.X = ±0.3
3RD ANGLE	X.XX = ±0.20
	ANG = -

SCALE: 1:1
 DRAWN:
 CHECKED:
 APPROVED:

ZETTLER DISPLAYS
 XIAMEN ZETTLER ELECTRONICS CO., LTD.

TITLE: LCM	REV A
MODEL NO: AGM1264F SERIES	SH NO 1/1
PART NO:	