


## EI35-2.5VA TRANSFORMER ADH300XX SERIES

### FEATURES,

- UL5015-1,-3 Approved: UL File No.E177998
- Class B Insulation System
- Split bobbin Design
- Dielectric Strength 2500Vrms
- Optional Single 115V or Dual 115/230V Primaries at 50/60Hz
- Standard Dual Secondaries
- 5 Standard Sizes for a Variety of Power Application

### OUTLINE DIMENSIONS



### ELECTRONIC SPECIFICATIONS

Part NO	Input Voltage (Vac)	Series		Parallel		Rated Power (VA)	Certificate	
		Voltage (Vac)	Current (mA)	Voltage (Vac)	Current (mA)		UL	CE
ADH30010	115V/230V	10	250	5	500	2.5VA	•	
ADH30012	115V/230V	12.6	200	6.3	400	2.5VA	•	
ADH30016	115V/230V	16	150	8	300	2.5VA	•	
ADH30020	115V/230V	20	120	10	240	2.5VA	•	
ADH30024	115V/230V	24	100	12	200	2.5VA	•	
ADH30028	115V/230V	28	85	14	170	2.5VA	•	
ADH30036	115V/230V	36	65	18	130	2.5VA	•	
ADH30048	115V/230V	48	50	24	100	2.5VA	•	
ADH30056	115V/230V	56	45	28	90	2.5VA	•	
ADH300120	115V/230V	120	20	60	40	2.5VA	•	